

## Index of materials

- O**
- 0.6655 184, 187–188  
 0.6660 187  
 0Ch15N65M16V 14  
 0ChN65MV 46  
 03Ch21N21M4N6 12  
 03ChN60M5 44  
 03ChN60V 46, 140  
 000Ch21N21M4B 14
- 1**
- 1.4024 299  
 1.4301 80, 187–188, 299, 303  
 1.4306 180  
 1.4361 225–226  
 1.4401 167, 187–188  
 1.4404 76, 78, 80, 124, 134, 180  
 1.4439 176, 206–209  
 1.4449 186–187  
 1.4492 76  
 1.4500 187–188  
 1.4503 206–209  
 1.4539 124, 206–209  
 1.4541 12, 49, 140, 253, 261, 271  
 1.4550 123  
 1.4558 264, 286–287  
 1.4563 123–124, 168, 170  
 1.4571 12, 206–209  
 1.4828 187  
 1.4841 303  
 1.4856 144–145  
 1.4876 156, 286, 299  
 10Ch17N13M2T 12  
 12Ch18N10T 5, 12, 49, 140  
 18Cr2MoTi 299  
 18Cr10Ni steel 105, 123
- 2**
- 2.4060 67, 152, 186–188, 249, 259–261, 270  
 2.4061 249, 259–260  
 2.4066 67, 249, 259, 271  
 2.4068 249, 259, 270  
 2.4360 87, 131–132, 148, 176–178, 186–188, 231–232, 251, 260, 266, 302–303  
 2.4361 251  
 2.4363 251  
 2.4366 87  
 2.4375 148, 250–251  
 2.4600 132, 179  
 2.4602 68, 76, 99, 102, 107–108, 111, 116, 119–120, 122, 133–134, 159, 161, 170, 172, 211  
 2.4603 76, 102, 123–124, 130, 157–159, 169–170, 211  
 2.4605 68, 99, 102–104, 112–119, 131, 250  
 2.4606 68, 99, 102, 120  
 2.4607 113–114  
 2.4610 68, 102, 116–117, 119, 145–146, 159–161, 224, 252  
 2.4615 179–180, 183, 236  
 2.4617 76, 88, 107, 132, 148, 179–180, 183, 211, 236, 252  
 2.4618 102, 128, 145, 159, 165, 169–170, 172–176, 202  
 2.4619 68, 76, 102, 146, 159, 168, 170, 211, 250  
 2.4631 140  
 2.4641 170  
 2.4642 102, 140, 145, 157–158, 169, 210, 260, 296, 299  
 2.4650 129  
 2.4660 102, 124, 213  
 2.4663 149, 189  
 2.4668 250

- 2.4669 33  
 2.4681 133  
 2.4692 280  
 2.4800 88, 179–180, 187–188, 236  
 2.4810 88, 148, 179–180, 236  
 2.4816 67, 140, 143–144, 156, 161,  
 187–188, 202, 259–260, 263–264, 273,  
 280, 286–288, 296, 299, 303  
 2.4819 68, 99, 102, 105, 107, 111–117,  
 119–120, 130, 133, 145, 159–161, 165,  
 169, 176, 180, 211, 224–227, 252  
 2.4856 68, 102, 116, 124, 159, 161, 165,  
 168–170, 172, 174–177, 211, 224, 250,  
 265, 280, 300  
 2.4858 68, 102, 106, 124, 128, 159, 161,  
 165, 168, 170–172, 175–177, 186, 202,  
 204, 206–209, 250, 265, 303  
 2.4869 200  
 2.4883 185  
 2.4886 113, 145  
 2.4999 149  
 20 102  
 22 109, 118–119  
 28 123  
 200 271  
 214 86–87  
 242 96–97  
 255 80
- 3**  
 3RE60 213  
 31 158  
 33 123  
 36NCh 140  
 36NChTJu 139  
 304 26, 80, 187–188, 265, 300  
 304L 180, 213  
 309 13, 187  
 316 12–13, 26, 84, 107–108, 167, 184,  
 186–188, 265  
 316 ELC 13  
 316L 63, 76, 78, 80–82, 180, 213, 300  
 317 13, 182, 186–187  
 317L 212–213  
 317LM 213  
 317LMN 176  
 321 140  
 347 14
- 4**  
 40 132  
 46ChNM 46  
 47ChNM2 46, 48, 147  
 400 67, 131, 300
- 410 13  
 430 13  
 446 13
- 5**  
 52Ni-48Cr 145  
 59 68, 71, 75, 99, 102–105, 109–110,  
 112–113, 115–120, 131, 250
- 6**  
 600 67, 142, 259–261, 263–264, 273,  
 280–281, 283–285, 288, 293, 296,  
 298–299, 303  
 602 CA 86–87  
 617 149  
 625 67–68, 73–75, 83–87, 102, 105,  
 107–109, 111, 115–116, 118, 122–128,  
 131, 221, 250, 264, 280–281  
 659 119  
 686 68, 86–87, 99, 102, 119–120  
 690 102, 123, 143, 260, 264, 280–281,  
 283–285, 296, 298–299  
 693 204
- 7**  
 7R 106  
 718 250
- 8**  
 800 299  
 825 32, 67–69, 102, 106, 128–129, 213,  
 250, 303
- 9**  
 904L 213
- a**  
 A 142  
 AFR 12 275  
 AFR 45 275  
 AFR 46 275  
 AFT 210 275  
 AFU 41 275  
 AFU 188 275  
 AFV 277 275  
 AFX 67 275  
 AFZ 207 275  
 AGA 104 275  
 Akrit<sup>®</sup> Ni 40 142  
 ALLCORR<sup>®</sup> 83–86, 108, 122–123, 131  
 alloy 109, 111, 123, 125, 131, 267  
 alloy 7R 106  
 alloy 20 102  
 alloy 22 118–119

- alloy 28 123  
 alloy 31 158  
 alloy 33 123  
 alloy 40 132  
 alloy 59 68, 71, 75, 99, 102–105, 109–110,  
 112–113, 115–120, 131, 250  
 alloy 200 271  
 alloy 214 86–87  
 alloy 242 96–97  
 alloy 400 67, 131, 300  
 alloy 600 67, 142, 259–261, 263–264, 273,  
 280–285, 288, 292–293, 296, 298–299,  
 303  
 alloy 602 CA 86–87  
 alloy 617 149  
 alloy 624 68  
 alloy 625 67, 73–75, 83–87, 102, 105,  
 107–109, 111, 115–116, 118, 122–128,  
 131, 250, 264, 280–281  
 alloy 686 68, 86–87, 99, 102, 119–120  
 alloy 690 102, 123, 143, 260, 264,  
 280–281, 283–285, 296, 298–299  
 alloy 693 204  
 alloy 718 250  
 alloy 800 299  
 alloy 825 32, 67–69, 102, 106, 128–129,  
 213, 250, 303  
 alloy A 142  
 alloy B 88, 91, 142  
 alloy B-2 76, 88–89, 91, 96, 99, 108,  
 132–133, 252  
 alloy B-3 88, 91, 96–97  
 alloy B-4 88, 91  
 alloy C 72–73  
 alloy C-4 68, 70, 73–74, 102, 105, 107, 109,  
 111, 115–117, 119, 122, 125–128, 252  
 alloy C-22 68, 72–76, 84–86, 99, 102, 105,  
 107–111, 119–120, 122, 125–128, 133  
 alloy C-263 129  
 alloy C-276 68, 70, 73–76, 78, 83–86,  
 99–100, 102, 105, 107–113, 115, 117–120,  
 122, 125–128, 130, 252, 299  
 alloy C-2000 96, 99, 184  
 alloy C 102, 128  
 alloy G-3 67–68, 76, 102, 105, 107–108,  
 122–124, 250  
 alloy G-30 68–69, 86–87, 102, 105,  
 107–108, 111, 122–124, 130  
 alloy HC new 73  
 Aloyco<sup>®</sup> 20 13  
 AISI 316L 76  
 aluminum bronze 13  
 austenitic steels 298
- b**  
 B 88, 91, 142  
 B-2 76, 88–89, 91, 96, 99, 108, 132–133,  
 227, 252  
 B-3 88, 91, 96–97  
 B-4 88, 91  
 Bergit<sup>®</sup> B 236  
 Beryvac<sup>®</sup> 520 149, 189, 244
- c**  
 C 72–73  
 C-4 68, 70, 73–74, 102, 105, 107, 109, 111,  
 115–117, 119, 122, 125–128, 221, 252  
 C-22 68, 72–76, 84–86, 99, 102, 105,  
 107–111, 119–120, 122–123, 125–128,  
 131, 133, 221  
 C-263 129  
 C-276 68, 70, 73–76, 78, 83, 86, 99–100,  
 102, 105, 107–113, 115, 117–120,  
 122–123, 125–128, 130–131, 221, 252,  
 299  
 C-2000 54, 96, 99, 182, 184  
 C17200 189  
 CA 715 186–188  
 carbon 269  
 carbon steel 114  
 Carpenter<sup>®</sup> 20CB-3 133, 204  
 cast iron 195  
 cast nickel alloys 217  
 CF-3M 134  
 Ch17N13M3T 14  
 Ch18N9T 253  
 Ch18N10T 14  
 Chlorimet<sup>®</sup> 2 16–17, 132, 236  
 Chlorimet<sup>®</sup> 3 16–17, 102, 255  
 ChN58V 49  
 ChN58W 147  
 ChN60 138  
 ChN60MB 146  
 ChN60V 49  
 ChN65MV 12, 28  
 Chromel<sup>®</sup> 136–137, 255  
 chromium-nickel steels 27, 206  
 CoCr26Ni9Mo5W 133  
 copper 13, 186  
 copper-nickel 14  
 Corronel<sup>®</sup> 210 236  
 Corronel<sup>®</sup> alloy 230 153  
 CrNiFe-alloys 202  
 CrNiMo-steels 202  
 Cronifer<sup>®</sup> 1815 226  
 CuNi30 196  
 CuNi30Mn1Fe 186–188  
 CW101C 189

CW354H 186–188  
CX-2MW 133–134

**d**

Duranickel<sup>®</sup> 60  
Duranickel<sup>®</sup> 301 6  
Durimet<sup>®</sup> 20 187–188

**e**

EI-345 139  
EI-435 46  
EI-437 46–47  
EI-437 B 49  
enamel 224  
EN-GJLA-XNiCuCr15-6-2 184, 187–188  
EP-496 22, 57  
EP-567 12, 14, 147  
EP-758 44  
EP-795 147  
Euzonit<sup>®</sup> 70 236

**f**

Fe-Ni-Cr alloys 264  
Ferallium<sup>®</sup> Alloy 255 63, 76, 78, 80–82,  
105, 213  
ferritic CrMo steel 298  
Ferrochromin<sup>®</sup> 46

**g**

G 102, 128  
G-3 67–68, 76, 102, 105, 107–108,  
122–124, 227, 250  
G-30 68–69, 86–87, 102, 105, 107–108,  
111, 122–124, 130  
GGL-NiCr 20 2 247  
GGL-NiCr 20 3 247  
GGL-NiCuCr 15 6 2 247  
GGL-NiCuCr 15 6 3 247  
G-NiMo 16 Cr 184, 186, 219  
G-NiMo 30 219  
gold 253  
graphite 269

**h**

Hastelloy<sup>®</sup> 84–85  
Hastelloy<sup>®</sup> A 13  
Hastelloy<sup>®</sup> B 12–16, 22–23, 59, 63–64, 80,  
91, 94, 148, 164, 179–182, 184–188, 219,  
236–237, 239, 241, 256, 266  
Hastelloy<sup>®</sup> B-2 22, 29, 59, 63–64, 80–81,  
91–92, 94–95, 148, 179–181, 183, 206,  
211, 224, 236–238, 252  
Hastelloy<sup>®</sup> B-3 179, 182–183, 236  
Hastelloy<sup>®</sup> B-4 94

Hastelloy<sup>®</sup> B 282 22  
Hastelloy<sup>®</sup> C 12–17, 28, 42, 64, 102,  
159–160, 164, 184–186, 188, 200,  
219–220, 224, 241, 255, 265, 300  
Hastelloy<sup>®</sup> C-4 44, 63–64, 68, 145–146,  
159–161, 166, 220, 224, 252  
Hastelloy<sup>®</sup> C-22 68, 72, 88, 146, 159, 161,  
166, 170, 172, 211, 215, 220, 229  
Hastelloy<sup>®</sup> C-276 44, 63–64, 68, 76–77,  
80–82, 84, 133, 145–146, 159–161,  
165–166, 169, 176, 180, 206, 211, 215,  
220, 224–227, 229, 237, 252  
Hastelloy<sup>®</sup> D 23, 30, 219, 239, 241–242  
Hastelloy<sup>®</sup> D-205 241  
Hastelloy<sup>®</sup> F 12, 149, 162, 202–203, 219,  
241, 255  
Hastelloy<sup>®</sup> G 44, , 80–84, 143, 145, 159,  
162, 165, 169–170, 172–176, 182, 202,  
212, 224, 237, 255  
Hastelloy<sup>®</sup> G-3 44, 68, 146, 159, 163, 170,  
211–213, 227–228  
Hastelloy<sup>®</sup> G-30 76, 130, 157–159, 163,  
169–170, 211–212, 214, 227–228  
Hastelloy<sup>®</sup> HYBRID-BC1 216  
Hastelloy<sup>®</sup> N 12, 42, 255  
Hastelloy<sup>®</sup> S 44, 48  
Hastelloy<sup>®</sup> X 255  
HAYNES<sup>®</sup> 6B 133  
Haynes<sup>®</sup> Alloy 625 80–82, 84  
Haynes<sup>®</sup> Alloy No. 20-Mod. 80–82  
Haynes<sup>®</sup> No. 20-Mod. 80  
Haynes<sup>®</sup> R-41 255  
HC new 73  
high-performance alloys 80  
Hy-Mu80 59

**i**

I-82 139  
Illium<sup>®</sup> 13, 41  
Illium<sup>®</sup> 98 23, 182  
Illium<sup>®</sup> C 11, 182, 186  
Illium<sup>®</sup> R 182  
Incoloy<sup>®</sup> 625 27, 265  
Incoloy<sup>®</sup> 800 25–27, 67, 156, 264–265,  
286–287  
Incoloy<sup>®</sup> 800H 27  
Incoloy<sup>®</sup> 801 27  
Incoloy<sup>®</sup> 802 27  
Incoloy<sup>®</sup> 825 7–10, 26–28, 32, 42, 44, 64,  
68, 82, 84, 159, 161, 165, 170–172,  
175–177, 182, 184, 186–188, 202, 204,  
212, 224, 250, 265  
Incoloy<sup>®</sup> 901 255, 265  
Incoloy<sup>®</sup> alloy 804 187

- Inconel<sup>®</sup> 13-14  
 Inconel<sup>®</sup> 100 150  
 Inconel<sup>®</sup> 600 8-10, 25-27, 46, 64, 67,  
 140-144, 156, 161, 187-188, 202-204,  
 253-256, 259, 263-264, 266, 273-276,  
 279, 286-288, 290, 292, 297, 302  
 Inconel<sup>®</sup> 601 8-10  
 Inconel<sup>®</sup> 617 189  
 Inconel<sup>®</sup> 625 11, 26-27, 44, 68, 144-146,  
 159, 161, 165, 169-170, 172, 174-177,  
 182, 211-212, 220, 224, 229, 250, 265,  
 300  
 Inconel<sup>®</sup> 671 44, 145  
 Inconel<sup>®</sup> 686 68, 120  
 Inconel<sup>®</sup> 690 44, 140-141, 144-145,  
 157-158, 169, 297  
 inconel<sup>®</sup> 702 255  
 Inconel<sup>®</sup> 718 255  
 Inconel<sup>®</sup> 825 202  
 Inconel<sup>®</sup> 939 150  
 Inconel<sup>®</sup> alloy 622 120  
 Inconel<sup>®</sup> G-3 250  
 Inconel<sup>®</sup> W 255  
 Inconel<sup>®</sup> X 33  
 INOR<sup>®</sup> 8 41
- j**
- JS-625 147
- l**
- Langalloy<sup>®</sup> 5R 236  
 Langley<sup>®</sup> alloy 20V 106  
 LC-Ni 99 249, 259, 266, 270, 301  
 LC-Ni99.6 249, 259-260  
 LC-NiCu 30 Fe 251  
 LCSi 226  
 Lewmet<sup>®</sup> 200
- m**
- martensitic Cr steel 298  
 Monel<sup>®</sup> 5, 11, 13-14, 18-21, 51-52, 256  
 Monel<sup>®</sup> 400 17, 26-27, 51, 64, 87, 148,  
 176-179, 184, 186-188, 193, 195, 202,  
 231-235, 251, 260, 266, 302-303  
 Monel<sup>®</sup> 404 51  
 Monel<sup>®</sup> alloys 256  
 Monel<sup>®</sup> K-500 27, 51, 148, 251, 256  
 MP35N 149
- n**
- N02200 67, 152, 249, 259  
 N02201 249, 259  
 N02205 249, 259  
 N04400 87, 251  
 N04402 251  
 N05500 251  
 N06003 200  
 N06010 136  
 N06022 68, 72, 76, 84-85, 99  
 N06025 86  
 N06030 68, 76, 86, 158  
 N06035 160  
 N06058 216  
 N06059 68, 99, 250  
 N06110 84-85, 108, 122, 217  
 N06200 96, 99, 182, 206  
 N06455 68, 252  
 N06600 67  
 N06617 149  
 N06625 68, 84-86, 168, 250  
 N06686 68, 86, 99  
 N06690 158, 210  
 N06693 204  
 N06985 68, 76, 168, 250  
 N07080 200  
 N07214 86  
 N07718 250  
 N08028 168  
 N08825 68, 168, 250  
 N10001 88, 91, 179, 185  
 N10002 185  
 N10242 95-96  
 N10276 68, 76, 84-85, 99, 120, 252  
 N10629 88, 91, 94  
 N10665 76, 88, 91, 206, 252  
 N10675 88, 91, 96, 179  
 N24135 54  
 N54Ch22M7S4D4L 42  
 NA-1 60  
 Ni-10Mo 305  
 Ni-10Mo-10Fe 305  
 Ni15Cr10Fe1Mn 8  
 Ni15Fe 59  
 Ni-15Mo 305  
 Ni-15Mo-15Fe 305  
 Ni20Cr15Mo 265, 300  
 Ni-20Mo 305  
 Ni-20Mo-20Fe 305  
 Ni21CrMo 300  
 Ni21CrW 265  
 Ni-25Mo 305  
 Ni30CuFe 40  
 Ni-38.4Fe 149  
 Ni3Ti 267  
 Ni40Co20Cr12Mo6Fe6B16 244  
 Ni-49.5Fe 149  
 Ni50-Fe50 267  
 Ni-50W 267

- Ni50-W50 267
- Ni55Mo20W25 243
- Ni65Mo20W15 243
- Ni99.2 67, 249, 259, 271
- Ni99.6 67, 152, 186–188, 195, 249, 259–261, 270
- Ni 99.98 193
- NiAl-alloy 60
- NiBe2 149, 189
- NiBe-alloys 244
- Nichrome® 255
- Nichrome® V 255
- nickel 5, 13–14, 31, 36–38, 52, 63, 67, 101, 135, 151, 193, 249, 253, 259, 262–263, 269, 271, 274
- nickel 61 60
- nickel 200 6, 25–27, 67, 152, 186–188, 259–261, 270
- nickel 201 6, 27, 260, 270
- nickel 211 60
- nickel alloy 32, 135, 142, 226
- nickel-beryllium alloys 149
- nickel-chromium alloy 136
- nickel-chromium alloys 6, 11, 25, 32, 34, 38, 41, 47, 67, 101, 136, 152, 199, 201–202, 250, 263, 272
- nickel-chromium-aluminum alloys 150
- nickel-chromium-iron alloys 11, 25, 32, 41, 45, 67, 101, 140, 156, 201, 204, 250, 263, 272–273
- nickel-chromium-iron-molybdenum-cobalt alloys 149
- nickel-chromium-molybdenum alloys 12, 22, 27–28, 32–33, 34, 41, 67–68, 101, 145–146, 158, 202, 215, 222, 226–227, 232, 250, 265, 299
- nickel-chromium-tungsten-molybdenum alloys 12, 147
- nickel-cobalt-chromium-molybdenum alloys 149
- nickel-copper alloys 25, 28, 34–35, 87, 131, 148, 176, 231, 235, 250–251, 266, 302
- nickel-molybdenum alloys 22, 29, 35, 88, 132, 148, 179, 252, 266, 305
- nickel-niobium alloys 267
- nickel NP-2 60
- nickel-silicon alloys 30
- NiCo20Cr20MoTi 129
- NiCo-alloys 244
- NiCr15Fe 156, 187–188, 195, 202, 204, 260, 263, 266, 273–274, 280, 286, 301
- NiCr15Fe8 296
- NiCr15P17 190
- NiCr15Ta3P17 190
- NiCr15TaP17 192
- NiCr16Fe 67
- NiCr16Mo15 64
- NiCr19NbMo 250
- NiCr20CuMo 102, 213
- NiCr20Mo1P17 190
- NiCr20Mo15 196, 266, 301
- NiCr20TiAl 200–201
- NiCr21Fe 67
- NiCr21Mo 64, 68, 102, 106, 128, 159, 168, 170, 177, 182, 184, 186, 196, 202, 204, 206–209, 213, 250, 265–266, 301
- NiCr21Mo14W 68, 102, 116, 159, 170
- NiCr21Mo16W 68, 102
- NiCr 22 Mo 219
- NiCr21Mo6Cu 170
- NiCr22Mo6Cu 102, 128, 159, 170, 182, 202, 237
- NiCr22Mo7Cu 68, 102, 159, 250
- NiCr22Mo9Nb 68, 102, 116, 159, 170, 177, 182, 250, 265, 280
- NiCr23Co12Mo 189
- NiCr23Mo16Al 68, 116, 250
- NiCr23MoTi 102
- NiCr29Fe 102, 157, 210, 260, 280, 296
- NiCr30FeMo 102, 123, 157, 159
- NiCr34Mo18Si16B4 190
- NiCr38Mo20P10 190, 192
- NiCr8020 200
- NiCrCoMo-alloy 45
- NiCrFeMo-alloys 202
- Nicrofer® 46
- Nicrofer® 4221 68, 250
- Nicrofer® 4823 hMo 68, 250
- Nicrofer® 5621 68
- Nicrofer® 5621 hMoW 116
- Nicrofer® 5716 hMoW 68, 112–116, 225, 252
- Nicrofer® 5923 hMo 68, 103, 113–116, 119, 131, 250
- Nicrofer® 5923 hMoW 112
- Nicrofer® 6020 hMo 68, 116, 250
- Nicrofer® 6032 68
- Nicrofer® 6616 hMo 68, 116, 252
- Nicrofer® S 5716 113
- Nicrofer® S 5923 113–114
- NiCu30Al 251
- NiCu30Fe 131–132, 176–178, 184, 186–188, 193, 195–196, 199, 231, 235, 251, 260, 266, 301
- NiCu30FeS 251
- NiCu 30 MnTi 243
- NiCu-alloys 11, 17–18, 36, 51, 235, 247

NiGe-alloys 244  
 Ni-hard alloy 5  
 Ni-Ir alloys 267  
 NiMn-alloys 60  
 NiMo10P19 190  
 NiMo16Cr15W 68, 102, 105, 116, 159,  
 237, 252  
 NiMo16Cr16Ti 28–30, 68, 102, 116, 159,  
 252  
 NiMo20P19 190  
 NiMo28 28–29, 132, 179, 236, 252  
 NiMo29Cr 132, 179  
 NiMo30 64, 181–182, 184, 186, 196, 236,  
 266, 301  
 NiMo alloy B-2 107  
 NiMo-alloys 22, 57, 92, 95, 242  
 NiMoFe-alloy 58  
 Nimofer<sup>®</sup> 6629 132  
 Nimofer<sup>®</sup> 6928 252  
 Nimonic<sup>®</sup> 254–255  
 Nimonic<sup>®</sup> 80 47, 49  
 Nimonic<sup>®</sup> 80 A 140, 201  
 NiMoW-alloys 242  
 Ni-Nb alloys 267  
 Ni-O-Nel<sup>®</sup> 102  
 Ni-Resist<sup>®</sup> 1 184, 187–188, 247  
 Ni-Resist<sup>®</sup> 1 b 247  
 Ni-Resist<sup>®</sup> 2 187, 247  
 Ni-Resist<sup>®</sup> 2 b 247  
 Ni-Ru 267  
 NiSi10Cu 219  
 NiSi-alloys 238, 242  
 NiTa3P17 190–191  
 NiTa5P17 190  
 NiTa10Nb30 190  
 NiTa20Zr20 190  
 NiTa30 190  
 NiTa30Nb10 190  
 NiTa30Ti10 190  
 NiTa50 190  
 NiTi4 243  
 NiTi-alloys 243

**p**

Permalloy<sup>®</sup> 61  
 Permalloy<sup>®</sup> 52N 23, 149  
 PG-Sr3 5  
 platinum 52, 253  
 pure nickel 60, 67, 101, 195, 247, 256, 259,  
 262, 265–266

**r**

Remanit<sup>®</sup> HB 236  
 Remanit<sup>®</sup> HC 220

**s**

S31603 76  
 S32550 76  
 SAE 304 26, 80, 187–188, 253  
 SAE 304 L 180, 213  
 SAE 309 13, 187  
 SAE 316 12–13, 26, 84, 107–108, 167, 184,  
 186–188  
 SAE 316 ELC 13  
 SAE 316 L 63, 76, 78, 80–82, 180, 213  
 SAE 317 13, 182, 186–187  
 SAE 317 L 212–213  
 SAE 317 LM 213  
 SAE 317 LMN 176  
 SAE 321 140  
 SAE 347 14  
 SAE 410 13  
 SAE 430 13  
 SAE 446 13  
 SAE 904 L 213  
 Sanicro<sup>®</sup> 28 170  
 SG-NiMo27 236  
 silicon bronze 13  
 silver 259, 269  
 Silverin<sup>®</sup> 18–21  
 S-NiMo 30 179, 236  
 spring alloy 244  
 stainless steels 5  
 Stellite<sup>®</sup> 133  
 Superantinit<sup>®</sup> B 236  
 superaustenite 111, 115  
 Superni<sup>®</sup> 263 A 129

**t**

Titanium 28  
 Tophet<sup>®</sup> 30 255

**u**

ULTIMET<sup>®</sup> 133–134  
 unalloyed nickel 60  
 unalloyed steel 195  
 UNS C17200 189  
 UNS N02200 67, 152, 249, 259  
 UNS N02201 249, 259  
 UNS N02205 249, 259  
 UNS N04400 87, 251  
 UNS N04402 251  
 UNS N05500 251  
 UNS N06003 200  
 UNS N06022 68, 72, 76, 84–85, 99  
 UNS N06025 86  
 UNS N06030 68, 76, 86  
 UNS N06035 160  
 UNS N06058 216

UNS N06059 68, 99, 250  
UNS N06110 84–85, 108, 122, 217  
UNS N06200 96, 99, 182, 206  
UNS N06455 68, 252  
UNS N06600 67  
UNS N06617 149  
UNS N06625 68, 86, 168, 250  
UNS N06686 68, 86, 99  
UNS N06693 204  
UNS N06985 68, 76, 168, 250  
UNS N07080 200  
UNS N07214 86  
UNS N07718 250  
UNS N08028 168  
UNS N08031 Plus 158  
UNS N08825 68, 168, 250  
UNS N10001 88, 91, 179, 185  
UNS N10002 185  
UNS N10242 95–96  
UNS N10276 68, 84–85, 99, 120, 252  
UNS N10629 88, 91, 94  
UNS N10665 76, 88, 91, 206, 252  
UNS N10675 88, 91, 96, 179  
UNS N24135 54  
Uranus<sup>®</sup> 625 68, 250  
Uranus<sup>®</sup> 825 68, 250

**v**

VDM Alloy 31 Plus 158

**x**

X1CrNiSi18-15-4 226  
X1NiCrMoCu25-20-5 206–209, 213  
X1NiCrMoCu31-27-4 123  
X2CrNi19-11 213  
X2CrNiMo17-12-2 80, 213  
X2CrNiMo18-15-4 213  
X2CrNiMoCuN25-6-3 213  
X2CrNiMoN17-13-5 176, 206–209  
X2CrNiMoSi18-5-3 213  
X2NiCrAlTi32-20 264  
X3CrNiMo18-12-3 182, 186  
X3NiCrCuMoTi27-23 206–209  
X5CrNi18-10 80, 195  
X5CrNiMo17-12-2 184, 186, 195  
X6CrNiMoTi17-12-2 206–209  
X10NiCrAlTi32-20 286

**z**

Zircaloy<sup>®</sup> 4 254